



SALES AND SERVICES, LLC.

Self Contained Compactor

All components on the I-Pak series are selected for longevity and low maintenance and low maintenance with special attention to all sensitive components. IES Sales & Services engineered the I-Pak with extraordinary structural rigidity and constructs these units under stringent quality control in order to offer the user a truly fantastic product.

I-Pak units provide top notch functionality for storing and transporting waste while preventing contamination of your work and public areas in accordance with public health department regulations. In return, you will have improved work conditions and reduced disposal costs. The I-Pak series can be customized with a variety of loading arrangements to comply with your specific needs and also are equipped with standard double ended pick-ups.



Copyright IES© All rights reserved 2017

ES Sales & Service, LLC. 2340 NW 147th Street, Opalocka, FL. 33054 | 305 687 9400



SALES AND SERVICES, LLC.

Copyright IES© All rights reserved 2017

Self Contained Compactor

Specifications

Charge Box Capacity

[Mfrs. Rating] - 1.9 Cubic Yards

Clear Top Opening - 40" L x 57 - 1/2"

Performance Characteristics

Cycle Time - 33 seconds

Total Normal Force - 39,000 lbs.

Total Maximum Force - 49,000 lbs.

Normal Ram Face Pressure - 22.9 psi.

Maximum Ram Face Pressure - 23 psi

Ram Penetration - 6"

Electrical Equipment

Electric Motor 3/60/230-460 - 10 hp.

Electric Control Voltage - 120 VAC.

Panel Box Assembly - UL/ETL rated - Key Operated,

All Circuits Fused, 3 Push Button Station

(Start/Stop/Reverse)

Features

- Easy loading from either ground or dock level.
- Excellent crushing force to reduce refuse to a fraction of its former size.
- Easy and fast installation.
- Continuous feeding capacity, even while in use.
- Adaptable to special loading systems such as large capacity hoppers, security chutes and total enclosures.
- Fire hose connection with each unit.
- Factory tested to assure leak proof design.
- UL/ETL Listed
- IES Sales and Service 2 Year Structure Warranty, 1 Year on Components and 6 Months Labor.



SALES AND SERVICES, LLC.

Copyright IES© All rights reserved 2017

Self Contained Compactor

Overall Dimensions *

Capacity	A	B	C	D	E	Weight
15 CY	4' 3-1/2"	3' 6"	5' 7"	14' 8"	8' 8"	9,000 lbs
20 CY	4' 3-1/2"	3' 6"	5' 7"	17' 1"	8' 8"	9,700 lbs
25 CY	4' 3-1/2"	3' 6"	5' 7"	19' 7"	8' 8"	10,200 lbs
30 CY	4' 3-1/2"	3' 6"	5' 7"	22'	8' 8"	10,600 lbs
34 CY	4' 3-1/2"	3' 6"	5' 7"	2' 11"	8' 8"	11,100 lbs

